WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Monday, September 05, 2005

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L30	L28 and "one-way function"	2
☐	L29	L28 and "business system"	2
☐	L28	L25 and "authority"	4
☐	L27	L26 and "hash"	3
☐	L26	L25 and "password"	5
☐	L25	"one-time logon"	8
☐	L24	L20 and L18	9
☐	L23	L19 and L18	33
☐	L22	L19 and L20	2
☐	L21	tekeda.in. and kei.in.	0
☐	L20	aoshima.in. and tatsundo.in.	11
☐	L19	tasaka.in. and mitsunobu.in.	37
☐	L18	hitachi.asn.	810345
☐	L17	705/76.ccls.	206
☐	L16	705/50.ccls.	299
☐	L15	709/229.ccls.	2494
☐	L14	713/202.ccls.	1202
☐	L13	713/186.ccls.	447
☐	L12	713/172.ccls.	346
☐	L11	713/168.ccls.	1035
☐	L10	713/155.ccls.	564
☐	L9	L8 and "password list"	0
☐	L8	L7 and "multiple users"	31
☐	L7	L6 and "hash"	34
☐	L6	L5 and "authentication"	48
☐	L5	L4 and "login"	48
☐	L4	L3 and "match"	50
☐	L3	L2 and "password"	53
☐	L2	"single sign-on" and "business system"	65
☐	L1	"single sign on" and "business system"	0

END OF SEARCH HISTORY

Google [one-time logon, password, authentication, has] [Search] Advanced Search
Preferences

Web Results 1 - 10 of about **65** for <u>one-time **logon**, **password**, **authentication**, **hash**, **random** **number** "busi</u>

Did you mean: <u>one-time *login*, password, authentication, hash, random number "business system"</u>

[PDF] <u>CISCO IOS SOFTWARE RELEASE 12.3T NEW FEATURES AND HARDWARE</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
2.1.1) Cisco IOS Software **Login Password** Retry Lockout (per EAL4 Compliance) ...
of **one-time** passwords for authenticating users, SSG re-**authentication** will ...
www.cisco.com/warp/public/ 732/releases/release123/docs/pb123t.pdf - <u>Similar pages</u>

<u>AskTom "Real Application Clusters"</u>
In our application we are using OID **authentication** during user **login** which will
be using ... May be add a bit of **random number** at end to spice things up? ...
asktom.oracle.com/pls/ask/ f?p=4950:8:::::F4950_P8_DISPLAYID:4663078177884 - 274k -
<u>Cached</u> - <u>Similar pages</u>

   <u>AskTom "Real Application Clusters"</u>
   so? sequences are **random numbers** – you can loose hundreds of thousands per ...
   In our application we are using OID **authentication** during user **login** which ...
   asktom.oracle.com/.../f?p=4950:8:7186180069150795903::NO::F4950_
   P8_DISPLAYID,F4950_P8_CRITERIA:4663078177884 - 274k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>BITS VOLUNTARY GUIDELINES</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... 3) or five (5) consecutive unsuccessful **login** attempts (see ... steps to follow to
re-enable the **password**. ... passwords should be system-generated, **one-time** use and ...
www.bitsinfo.org/FinalAggregationBook051601.pdf - Supplemental Result - <u>Similar pages</u>

[PDF] <u>Administration Guide</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
e-**business system**. The **login** process looks up the user ID (UID) in the Access
... Salting a **password** means adding a **random** (or pseudo-**random**) string ...
download.sybase.com/pdfdocs/secg0253e/epsec.pdf - <u>Similar pages</u>

[PDF] <u>CUSTOMS INTERNET GATEWAY</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
random (any **number** would do),. and the process can be reversed ...
EntrustProfile.**logon**()) that the data area containing the **password** be overwritten
prior ...
https://reg-pki-ext.ccra-adrc.gc.ca/ cig/agreements/e_cig_prd_final.pdf - <u>Similar pages</u>

[PDF] <u>GIAC Certified Firewall Analyst</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... built up a more effective and more secure e-**business system** as they ... Web interface
using SSL communication based on a personalized user/**password authentication**. ...
www.giac.org/practical/ GCFW/Wolfgang_Gottschalk_GCFW.pdf - Supplemental Result - <u>Similar pages</u>

[PDF] <u>Wireless Intrusion Detection 1</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
and **One Time Password** (OTP) [12], together with EAP **authentication** methods [13].

... digit or even ten-digit pseudo-**random number** displayed by a ...
www.iwwst.org.uk/Files/2003/FinalPN.pdf - Similar pages

[PDF] IT Security Guidelines
File Format: PDF/Adobe Acrobat - View as HTML
For example, a large **number** of failed **login** attempts in a short period of ...
Authenticate using either a **one-time password authentication** such as a token ...
www.ogcio.gov.hk/eng/prodev/download/g3.pdf - Similar pages

webappsec Digest of: thread.6263
program which would generate 5 **random** words for every **login** we attempt. The ...
My online bank uses a system of picking **random numbers** from my **password**, and ...
www.xml-dev.com:8000/message/ 20050716.073928.cf08da26.en.html - 292k - Cached - Similar pages

Did you mean to search for: one-time *login*, password, authentication, hash, random number "business system"

Goooooooogle ▶
Result Page: 1 2 3 4 5 6 7   **Next**

Google Desktop Search - 9:30 AM
Free! Instantly find your email, files, media and web history. Download now.

[one-time logon, password, authentic] Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google